Contents

Adam D, Glukhovsky A: Comparison between single signed integral pulse frequency and sine wave crossing modulation techniques 469
Aicardi F → Verri A
Aldenhoff J → Röschke J
Amthor FR → Grzywacz NM
Anastasio T J: Neural network models of velocity storage in the horizontal vestibulo-ocular reflex 187
Anastasijević R, Jovanović K, Ljubisavljević M, Vučo J: Time coupling of skeletomotor discharges in response to pseudo-random transsynaptic and transmembrane stimulation 321
Arbib MA → Teeters JL
Arbib MA → Wang DL
Arle JE, Kim DO: Neural modeling of intrinsic and spike-discharge properties of cochlear nucleus neurons 273
Arnold DB, Robinson DA: A learning network model of the neural integrator of the oculomotor system 447
Awiszus F: Effects of paranodal potassium permeability on repetitive activity of mammalian myelinated nerve fiber models 69
Awiszus F: The influence of an unmyelinated terminal on repetitive firing of a mammalian receptor afferent fiber 421

Babloyantz A → Gallez D
Bässler U → Karg G
Banzhaf W: The "molecular" traveling salesman 7
Bauer R, Dow BM: Local and global principles of striate cortical organization: an advanced model 477
Bizzarri AR: Convergence properties of a modified Hopfield-Tank model 293
Bohrer S → Mallot HA
Breutel G → Karg G
Bülthoff HH → Mallot HA

Carlson A: Anti-Hebbian learning in a non-linear neural network 171
Cruse H → Müller U
Cunningham HA, Vardi I: A vector-sum process produces curved aiming paths under rotated visual-motor mappings 117

Dean J: A model of leg coordination in the stick insect, *Carausius morosus*. I. A geometrical consideration of contralateral and ipsilateral coordination mechanisms between two adjacent legs 393
Dean J: A model of leg coordination in the stick insect, *Carausius morosus*. II. Description of the kinematic model and simulation of normal step patterns 403
Dow BM → Bauer R

Edelman S, Weinshall D: A self-organizing multiple-view representation of 3D objects 209
Edwards BW, Wakefield GH: On the statistics of binned neural point processes: the Bernoulli approximation and AR representation of the PST histogram 145

Favata F, Walker R: A study of the application of Kohonen-type neural networks to the Travelling Salesman Problem 463
Ferraro M, Foster DH: Almost equivalence of combinatorial and distance processes for discrimination in multielement images 315
Feuerstein C → Gath I
Földiák P: Forming sparse representations by local anti-Hebbian learning 165
Foster DH → Ferraro M

Gallez D, Babloyantz A: Predictability of human EEG: a dynamical approach 381
Gath I, Michaeli A, Feuerstein C: A model for dual channel segmentation of the EEG signal 225
Glukhovsky A → Adam D
Grubmüller H → Tavan P
Grzywacz NM, Amthor FR, Mistler LA: Applicability of quadratic and threshold models to motion discrimination in the rabbit retina 41
Guzman GC de, Kelso JAS: Multifrequency behavioral patterns and the phase attractive circle map 485

Hara K → Kitajima T
Henning J, Henning PA, Himstedt W: Peripheral and central contribution to the pupillary reflex control in amphibians: pupillographic and theoretical considerations 511
Henning PA → Henning J
Himstedt W → Henning J

Jovanović K → Anastasijević R

Kalveram KTh: Pattern generating and reflex-like processes controlling aiming movements in the presence of inertia, damping and gravity. A theoretical note 413
Karg G, Breutel G, Bässler U: Sensory influences on the coordination of two leg joints during searching movements of stick insects 329
Kelso JAS → Guzman GC de
Keverne EB → Taylor JG
Kim DO → Arle JE
Kitajima T, Hara K: A model of the mechanisms of long-term potentiation in the hippocampus 33
Kitajima T, Hara K: A model of the mechanism of cooperativity and associativity of long-term potentiation in the Hippocampus: a fundamental mechanism of associative memory and learning 371
Kovačič M: Markovian neural networks 337
Krüger J, Mayer M: Two types of neuronal synchrony in monkey striate cortex 135
Kühnel H → Tavan P
Kurogi S: Speech recognition by an artificial neural network using findings on the afferent auditory system 243

Lánský P, Musila M: Variable initial depolarization in Stein's neuronal model with synaptic reversal potentials 285
Lee KC → Takefuji Y
Lei G: A neuron model with fluid properties for solving labyrinthian puzzle 61
Little JJ → Mallot HA
Ljubisavljević M → Anastasijević R

Mallot HA, Bülthoff HH, Little JJ, Bohrer S: Inverse perspective mapping simplifies optical flow computation and obstacle detection 177
Mayer M → Krüger J
Michaeli A → Gath I
Miller JP → Zhang J
Mistler LA → Grzywacz NM
Mizunami M: Synaptic rectification model equivalent to the correlation-type movement detector 1

Müller U, Cruse H: The contralateral coordination of walking legs in the crayfish *Astacus leptodactylus*. I. Experimental results 429
Müller U, Cruse H: The contralateral coordination of walking legs in the crayfish *Astacus leptodactylus*. II. Model calculations 437
Musila M → Lánský P

Nelken I, Vaadia E: A sensitive estimator for crosscorrelograms 51

Pinkham R → Stewart AL

Oğuztöreli MN, Stein RB: Optimal task performance of antagonistic muscles 87

Robinson DA → Arnold DB
Röschke J, Aldenhoff J: The dimensionality of human's electroencephalogram during sleep 307
Ronacher B, Süß H: Perception of size and lightness of human observers: two criteria for holistic and analytic processing show no correlation in individuals 107
Ross J → Wang L

Schöner G: Dynamic theory of action-perception patterns: the "moving room" paradigm 455
Schuster HG, Wagner P: A model for neuronal oscillations in the visual cortex. 1. Mean-field theory and derivation of the phase equations 77
Schuster HG, Wagner P: A model for neuronal oscillations in the visual cortex. 2. Phase description of the feature dependent synchronization 83
Siminoff R: Simulated bipolar cells in fovea of human retina. I. Computer simulation 497
Siminoff R: Simulated bipolar cells in fovea of human retina. II. Spectral responses of bipolar cells 505
Soto-Andrade J, Varela FJ: On mental rotations and cortical acitvity patterns. A linear representation is still wanted 221
Stein RB → Oğuztöreli MN
Stephanova DI: Conduction along myelinated and demyelinated nerve fibres with a reorganized axonal membrane during the recovery cycle: model investigations 129
Stewart AL, Pinkham R: A space-variant differential operator for visual sensitivity 373
Süß H → Ronacher B

Takefuji Y, Lee KC: An artificial hysteresis binary neuron: a model suppressing the oscillatory behaviors of neural dynamics 353
Tanaka S: Theory of ocular dominance column formation. Mathematical basis and computer simulation 263
Tavan P, Grubmüller H, Kühnel H: Self-organization of associative memory and pattern classification: recurrent signal processing on topological feature maps 95
Taylor JG, Keverne EB: Accessory olfactory learning 301
Teeters JL, Arbib MA: A model of anuran retina relating interneurons to ganglion cell responses 197
Tolat VV: An analysis of Kohonen's self-organizing maps using a system of energy functions 155

Vaadia E → Nelken I
Vardi I → Cunningham HA
Varela FJ → Soto-Andrade J
Verri A, Aicardi F: Limit cycles of the two-dimensional motion field 141
Vogels R: Population coding of stimulus orientation by striate cortical cells 25
Vučo J → Anastasijević R

Wagner P → Schuster HG
Wakefield GH → Edwards BW
Walker R → Favata F
Wang DL, Arbib MA: How does the toad's visual system discriminate different worm-like stimuli? 251
Wang L, Ross J: Variable threshold as a model for selective attention, (de)sensitization, and anesthesia in associative neural networks 231
Weinshall D → Edelman S

Zak M: Creative dynamics approach to neural intelligence 15
Zak M: Terminal chaos for information processing in neurodynamics 343
Zhang J, Miller JP: A mathematical model for resolution enhancement in layered sensory systems 364

Indexed in *Current Contents* —
Covered by *Zentralblatt für Mathematik*